

Unismart Update Notification

V3.21 20140715

Unismart V3.21 System

1. Device hardware and size: no change.
2. Device ID number: no change.
3. Functions:

1) Multi-language system added

Item	Before	After
The Unismart Box screen language	English	English, Russian
Client end language	English	English, Russian, Korean, Chinese
Update Software language	English	English, Russian, Korean, Chinese

2) Unismart Update Software:





The update software has been updated from version 4.33 to 5.01. To update your Unismart update software and client end, please go to


<http://www.apexmic.com/unismart/download-4.html> to download and install Unismart_Update_software_5.01.

- ### 3) Notices of new available chip models in the Unismart:
- if there is any new available chip model in the Unismart system, the model will be automatically added into the product range of all customers' client end programs. When you login to the client end, it will show you notice about the new models, and remind you to add them into your devices.

4. Unismart chips

1) Two chips appearance have been changed:

PCB Code	Before	After
T3		
		





Notice: Update the Unismart II device you have to make it workable with both the old and the new chips.

5. **Test report:** tested and qualified.

6. **Installation method:** no change.

7. **Package:**

	Before	After
Size	L:37cm W:35.5cm H:7.3cm 36 jigs at most containable	L:35cm W:24cm H:9cm 12 jigs at most containable
Photo		
Inventory status	Could last for about 5-6 months.	Available in August.
Package application	Before August, the package will be the old one. After August, new package will be applied if no more than 12 jigs are purchased. Old package will be applied if more than 12 jigs are purchased. After Apex has consumed all old packages, for every 12 jigs we offer a new package box; for jigs exceeds multiples of 12, there will be another kind of boxes, each holding 5 jigs.	

8. **Changed products available date:**

Unismart V3.21 is just a software update basing Unismart II hardware. The update program for V3.21, Unismart_Update_software_5.01, will be released on Apex official website on July 15th. Please then visit <http://www.apexmic.com/unismart/download-4.html> to update your Unismart update program and client end program.

Please kindly notice that the update will require a temporary closing of the Unismart network system during 8: 30 and 9:00 on July 15th.

9. **Relative document versions:**

Quick Guides of both the standard and the customized versions have been updated to V3.21. Other the version in English, a version in Russian has been added.

FAQ has been updated to V3.21. Other the version in English, a version in Russian has been

added.

Unismart Catalog has been updated to V3.21.

The latest version of all changed documents can be found on

<http://www.apexmic.com/unismart/support-46.html>

10. Product range: please check the tables on this page for

1) New chip models added; 2) formerly repeated models deleted; 3) model number changes.

For details we recommend you to go to Apex website <http://www.apexmic.com/unismart/support-46.html> to

download the latest **Unismart Catalog**; you can also login the Unismart client end to read relative notices.

Newly Added Models

PCB Code	Brand	Unismart Product Code	OEM Product Code	Color	Yield	Region	For Use with
A4	Samsung	ALD-B1160-CHN	592-11854	BK	1.5K	CHN	Dell® B1160
P35	Dell	ALD-7327	331-7327	BK	1.5K	EXP	Dell® B1265dnf
		ALD-7328	331-7328	BK	2.5K	EXP	
S1	Samsung	ALD-B1160-EXP	331-7335	BK	1.5K	EXP	Dell® B1160/B1160W
		ALD-B2375I	593-BBBI	BK 3K	3K	CHN/US	Dell® B2375dnf
		ALD-B2375J	593-BBBJ	BK	10K		
T1	Dell	ALD-2230-3K5	330-4131	BK, Return	3.5k	WW	DELL® 2230D
H	Epson	ALE-LP1400-1.5K	LPB4T11	BK	1.5K	JP	Epson® LP-S100
		ALE-LP1400-3K	LPA4ETC7	BK	3K	JP	Epson® LP-S100/LP-1400
T3	Kyocera	ALK-TK3103	TK-3103	BK	12.5K	CHINA	Kyocera FS-2100/2100D
		ALK-TK3110	TK3110	BK	15.5K	EU	Kyocera FS-4100DN/FS-4100
		ALK-TK3130	TK3130	BK	25K	EU	Kyocera FS-4300DN/FS-4200/FS-4300
D	Samsung	ALS-K300-2K-EUR	CLP-K300A	BK	2K	EUR	Samsung® CLP-300/300N Samsung® CLX-2160/3160N/3160FN
		ALS-C300-1K-EUR	CLP-C300A	C	1K	EUR	
		ALS-M300-1K-EUR	CLP-M300A	M	1K	EUR	
		ALS-Y300-1K-EUR	CLP-Y300A	Y	1K	EUR	
		ALS-K300-2K-US	CLP-K300A	BK	2K	US	
		ALS-C300-1K-US	CLP-C300A	C	1K	US	

		ALS-M300-1K-US	CLP-M300A	M	1K	US	
		ALS-Y300-1K-US	CLP-Y300A	Y	1K	US	
P25	Samsung	ALS-D305S-CHN	MLT-D305S	BK	7K	CHN	Samsung® ML-3750ND
		ALS-D305L-CHN	MLT-D305L	BK	15K	CHN	
S4	Samsung	ALS-D204U-DOM	MLT-D204U	BK	15K	DOM	Samsung® SL-M4025 Samsung® M4075
		ALS-D204U-EUR	MLT-D204U	BK	15K	EUR	Samsung® SL-M4025 Samsung® M4075
		ALS-D204U-EXP	MLT-D204U	BK	15K	EXP	Samsung® SL-M4025 Samsung® M4075
		ALS-D204U-MEA	MLT-D204U	BK	15K	MEA	Samsung® SL-M4025 Samsung® M4075
		ALS-D204U-CHN	MLT-D204U	BK	15K	CHN	Samsung® SL-M4025 Samsung® M4075
F2	Samsung	ALX-1370-7K	106R01370	BK	7K	EXP	Xerox® Phaser 3600N/3600DN
		ALX-1371-14K	106R01371	BK	14K	EXP	
P12	Xerox	ALX-1487	106R01487	BK	4.1K	ME	XEROX® Workcenter 3210/3220

Deleted Models (Due to Repetition)

PCB Code	Brand	Unismart Product Code	OEM Product Code	Color	Yield	Region	For Use with
L	Canon	ALC-5200-K-5K		BK	5K	WW	Canon® LBP5200
		ALC-5200-C-4K		C	4K	WW	
		ALC-5200-Y-4K		Y	4K	WW	
		ALC-5200-M-4K		M	4K	WW	
J3	IBM	ALI-1222-10K					
		ALI-1222-5K					
		ALI-1422-12K					
		ALI-1422-6K					

Model Number Changes

Coding Before	Coding After	OEM Product Code	Color	Yield	Region	For Use with
ALD-1130-1K5	ALD-9523-2K5	330-9523	BK	2.5K	US	Dell® 1130/1130N/1133 (Universal for EXP/EUR)
ALD-1130-2K5	ALD-9524-1K5	330-9524	BK	1.5K	US	

ALC-3018-1.5K-N	ALC-3018-1K5-N	CRG-312/512/712	BK	1.5K	WW	Canon® LBP3018/3050/3108
ALC-3480-6.4K-N	ALC-3480-6K4-N	GPR-41	BK	6.4K	WW	Canon® image RUNNER LBP3480
ALC-4410-2.1K-N	ALC-4410-2K1-N	CRG328	BK	2.1K	WW	Canon® ic MF4420n/4412/4410 Canon® ic D520 Canon® ic MF 4452/4450 Canon® ic MF 4550d/4570dn
ALC-5050-K-2.2K-N	ALC-5050K-2K2-N	CRG-316B	BK	2.2K	WW	Canon® LBP5050
ALC-5050-C-1.4K-N	ALC-5050C-1K4-N	CRG-316C	C	1.4K	WW	Canon® LBP5050
ALC-5050-M-1.4K-N	ALC-5050M-1K4-N	CRG-316M	M	1.4K	WW	
ALC-5050-Y-1.4K-N	ALC-5050Y-1K4-N	CRG-316Y	Y	1.4K	WW	
ALC-6300-2.1K-N	ALC-6300-2K1-N	CRG-119	BK	2.1K	WW	Canon® ImageClass MF5850dn/5880dn/5950dw/5960dn/LBP6300dn/6650dn/6670dn
ALC-6300-6.4K-N	ALC-6300-6K4-N	CRG-119II	BK	6.4K	WW	
ALC-6200-2.1K-N	ALC-6200-2K1-N	CRG-326	BK	2.1K	WW	Canon® i-SENSYS LBP6200d
ALC-7750-K-5K-N	ALC-7750K-5K-N	CRG-323 BK	BK	5K	WW	Canon® LBP7750Cdn
ALC-7750-C-8.5K-N	ALC-7750C-8K5-N	CRG-323 C	C	8.5K	WW	
ALC-7750-M-8.5K-N	ALC-7750M-8K5-N	CRG-323 M	M	8.5K	WW	
ALC-7750-Y-8.5K-N	ALC-7750Y-8K5-N	CRG-323 Y	Y	8.5K	WW	
ALC-7770-K-10K-N	ALC-7770K-10K-N	CRG-323 BK	BK	10K	WW	
ALC-8050-K-2.3K-N	ALC-8050K-2K3-N	CRG-416 BK	BK	2.3K	WW	Canon® iC MF8030Cn/8050Cn
ALC-8050-C-1.5K-N	ALC-8050C-1K5-N	CRG-416 C	C	1.5K	WW	
ALC-8050-M-1.5K-N	ALC-8050M-1K5-N	CRG-416 M	M	1.5K	WW	
ALC-8050-Y-1.5K-N	ALC-8050Y-1K5-N	CRG-416 Y	Y	1.5K	WW	
ALC-8350-K-3.4K-N	ALC-8350K-3K4-N	CRG-418 BK	BK	3.4K	WW	Canon® iC MF8350Cn
ALC-8350-C-2.9K-N	ALC-8350C-2K9-N	CRG-418 C	C	2.9K	WW	
ALC-8350-M-2.9K-N	ALC-8350M-2K9-N	CRG-418 M	M	2.9K	WW	
ALC-8350-Y-2.9K-N	ALC-8350Y-2K9-N	CRG-418 Y	Y	2.9K	WW	
ALC-9100-K-13K-N	ALC-9100K-13K-N	CRG-322 BK	BK	13K	WW	Canon® LBP9100Cdn

ALC-9100-K-6.5K-N	ALC-9100K-6K5-N	CRG-322 BK	BK	6.5K	WW	
ALC-9100-C-15K-N	ALC-9100C-15K-N	CRG-322 C	C	15K	WW	
ALC-9100-C-7.5K-N	ALC-9100C-7K5-N	CRG-322 C	C	7.5K	WW	
ALC-9100-M-15K-N	ALC-9100M-15K-N	CRG-322 M	M	15K	WW	
ALC-9100-M-7.5K-N	ALC-9100M-7K5-N	CRG-322 M	M	7.5K	WW	
ALC-9100-Y-15K-N	ALC-9100Y-15K-N	CRG-322 Y	Y	15K	WW	
ALC-9100-Y-7.5K-N	ALC-9100Y-7K5-N	CRG-322 Y	Y	7.5K	WW	
ALS-3560-12K-CHN	ALS-3560-12-CHN	ML-D3560B	BK	12k	CHN	Samsung® ML-3560/3561N
ALS-3560-12K-EXP	ALS-3560-12-EXP	ML-D3560B	BK	12k	EXP	
ALS-3560-12K-KOR	ALS-3560-12-KOR	ML-D3560B	BK	12k	KOR	
ALS-A400	ALS-A400-2K5	S400T2HK	BK	2.5K	KOR	Sindoricoh® A400/A400x/A401/A401dn/ A402dn/A405/A405t/A406/ A406dn/A407dn
ALS-A400h	ALS-A400H-5K	S400T5K	BK	5K		
ALS-A400x	ALS-A400X-8K	S400T8K	BK	8K		
ALS-M400	ALS-M400-2K5	M400T2HK	BK	2.5k		Sindoricoh® M400/M400S/M400X/M401 /M401S/M401X/402/403/M 405G/M406G/406
ALS-M400h	ALS-M400H-5K	M400T5K	BK	5K		
ALS-M400x	ALS-M400X-8K	M400T8K	BK	8K		
ALS-K300A-2K-CHN	ALS-K300-2K-CHN	CLP-K300A	BK	2K		
ALS-C300A-1K-CHN	ALS-C300-1K-CHN	CLP-C300A	C	1K	CHN	Samsung® CLP-300/300N Samsung® CLX-2160/3160N/3160FN
ALS-M300A-1K-CHN	ALS-M300-1K-CHN	CLP-M300A	M	1K	CHN	
ALS-Y300A-1K-CHN	ALS-Y300-1K-CHN	CLP-Y300A	Y	1K	CHN	
ALS-K300A-2K-EXP	ALS-K300-2K-EXP	CLP-K300A	BK	2K	EXP	
ALS-C300A-1K-EXP	ALS-C300-1K-EXP	CLP-C300A	C	1K	EXP	

ALS-M300A-1K-EXP	ALS-M300-1K-EXP	CLP-M300A	M	1K	EXP	
ALS-Y300A-1K-EXP	ALS-Y300-1K-EXP	CLP-Y300A	Y	1K	EXP	
ALS-K300A-2K-KOR	ALS-K300-2K-KOR	CLP-K300A	BK	2K	KOR	
ALS-C300A-1K-KOR	ALS-C300-1K-KOR	CLP-C300A	C	1K	KOR	
ALS-M300A-1K-KOR	ALS-M300-1K-KOR	CLP-M300A	M	1K	KOR	
ALS-Y300A-1K-KOR	ALS-Y300-1K-KOR	CLP-Y300A	Y	1K	KOR	
ALS-D6555A	ALS-D6555A-KOR	SCX-D6555A	BK	25K	KOR	Samsung® SCX-6555N
ALS-D6555A	ALS-D6555A-EXP	SCX-D6555A	BK	25K	EXP	Samsung® SCX-6555N/6555NG/6555NX
ALS-K8380CA	ALS-K8380-EXP	CLX-K8380A	BK	20K	EXP	Samsung® CLX-8380/8380N
ALS-C8380CA	ALS-C8380-EXP	CLX-C8380A	C	15K	EXP	
ALS-M8380CA	ALS-M8380-EXP	CLX-M8380A	M	15K	EXP	
ALS-Y8380CA	ALS-Y8380-EXP	CLX-Y8380A	Y	15K	EXP	
ALX-2305	ALX-2305-EXP	106R02305	BK	5K	EXP	Xerox® Phaser 3320
ALX-2307	ALX-2307-EXP	106R02307	BK	11K	EXP	
ALX-2309	ALX-2309-EXP	106R02309	BK	2.3K	EXP	Xerox® Workcenter 3315
ALX-2310	ALX-2310-ME	106R02310	BK	5K	ME	Xerox® Workcenter 3315
ALX-2310	ALX-2310-ME	106R02310	BK	5K	ME	Xerox® Workcenter 3325
ALX-2311	ALX-2311-EXP	106R02311	BK	5K	EXP	Xerox® Workcenter 3315
ALX-2311	ALX-2311-EXP	106R02311	BK	5K	EXP	Xerox® Workcenter 3325
ALX-2313	ALX-2313-EXP	106R02313	BK	11K	EXP	Xerox® Workcenter 3325
ALX-601-3.5K	ALX-601-3K5	013R00601	BK	3.5K	WW	Xerox® WorkCentre PE120/PE120i
ALX-746-3.5K	ALX-746-3K5	109R00746	BK	3.5K	WW	Xerox® Phaser 3150B

The information contained herein is subject to change without notice. Apex shall not be liable for technical or editorial errors or omissions contained herein. Photographed products may not always match the description. And other brand or product names mentioned are intended to show compatibility only.